National Centre for Atmospheric Science
NATURAL ENVIRONMENT RESEARCH COUNCIL

Decadal Predictions and the role of the ocean in the mid 1960s cooling of the North Atlantic

Jon Robson, Rowan Sutton and Doug Smith


j.i.robson@reading.ac.uk

@JonlRobson


University of Reading
NATURAL ENVIRONMENT RESEARCH COUNCIL
FONDATION BNP PARIBAS
Met Office
Walker INSTITUTE

Atlantic Multidecadal Variability (AMV) and its climate impacts

National Centre for Atmospheric Science
NATURAL ENVIRONMENT RESEARCH COUNCIL



Knight et al, 2005



Sutton and Dong, 2012

Evidence that North Atlantic SSTs can effect the surface climate across The Americas, Europe and Africa


University of Reading

Walker INSTITUTE

What caused the cooling?


National Centre for Atmospheric Science
NATURAL ENVIRONMENT RESEARCH COUNCIL

Dynamical Ocean change; i.e. AMOC?



Knight et al, 2005

Surface flux changes due to Forcing? i.e. Aerosols?




Booth et al, 2012


University of Reading

Walker INSTITUTE

Why use decadal predictions?

National Centre for Atmospheric Science
NATURAL ENVIRONMENT RESEARCH COUNCIL





The mid 1990s warming of the subpolar gyre - Evidence to suggest decadal predictions capture important mechanisms

- Prediction captures the subpolar gyre warming due to the initialisation of a strong AMOC
- Also captures many aspects of surface climate changes

Robson et al, 2012, GRL
Robson et al, 2103, J Clim

University of Reading

Experiments and data

National Centre for Atmospheric Science
NATURAL ENVIRONMENT RESEARCH COUNCIL


- We will be looking at predictions made with DePreSys PPE
  - Based on HadCM3 (1.25° Ocean, 3.75 x 2.5° Atmosphere)
  - 9 member perturbed physics ensemble
  - Uses **anomaly assimilation** for 3D ocean T, and S, and atmospheric U,V,T and MSLP
  - Hindcasts initialised every November between 1960-2005
  - Forced with historical anthropogenic, and projected natural forcings
- Comparison ensemble that does not assimilate observed information (NoAssim PPE)
- Compare the predictions with observations
  - Met Office ocean analysis
  - HadISST
  - CRU TS 3.0
  - HadSLP

University of Reading

Walker INSTITUTE

Predictions of subpolar 0-500m T and S

National Centre for Atmospheric Science
NATURAL ENVIRONMENT RESEARCH COUNCIL




Hindcasts from 1963 predict a cooling of the subpolar gyre


Walker INSTITUTE

Predictions of subpolar 0-500m T and S

National Centre for Atmospheric Science
NATURAL ENVIRONMENT RESEARCH COUNCIL

Mean over all hindcasts 1963-1968





All of the following analysis will be on the 1963-1968 mean hindcast

University of Reading


SPG energy budget

National Centre for Atmospheric Science
NATURAL ENVIRONMENT RESEARCH COUNCIL

$\Delta E = H_O - H_A$

H_O = Ocean heat transport convergence
And
H_A = Atmospheric heat loss integrated over the latitude of the subpolar gyre (50N-65N)

Ocean heat transport convergence key to predict the cooling




University of Reading

Walker INSTITUTE

Ocean heat transport

National Centre for Atmospheric Science
NATURAL ENVIRONMENT RESEARCH COUNCIL




Weak ocean circulation → weak northward heat transport


University of Reading

Walker INSTITUTE

Ocean heat transport




1200-3000m density anomalies




Weak AMOC due to initialization of low density anomalies on the deep western boundary

Ocean heat transport - NoAssim

National Centre for Atmospheric Science
NATURAL ENVIRONMENT RESEARCH COUNCIL



1200-3000m density anomalies




NoAssim predicts a very different response -
An increase in AMOC

University of Reading


Walker INSTITUTE

Prediction of the GSA




DePreSys also successfully predicts the Great Salinity anomaly

Surface climate impact



Impact of initialisation = ΔDeP - ΔNoA

Surface climate impact



Summary

National Centre for Atmospheric Science
NATURAL ENVIRONMENT RESEARCH COUNCIL

- Initialised decadal predictions successfully predict the cooling and freshening of the North Atlantic in the 1960s
- The initialisation of weak ocean circulation, and hence weak ocean heat transport is key – it is *not* a forced response in this model
- **Main Caveat -** the quality of the subsurface ocean data in 1960s
- However, it is interesting that DePreSys also predicts many other aspects of the observed cooling, including the GSA and surface climate response
- Results provide further evidence that ocean dynamical changes played a key role in the observed changes
- **But**, What was the origin of the weak AMOC?

University of Reading

Walker INSTITUTE